Journal of Non-Crystalline Solids 114 (1989) ix–xxii
North-Holland

CONTENTS

Editorial vii
Special thanks vii
Preface, G. Lucovsky viii
Sponsors viii
Contents Parts I and II ix

PART I

Section 1. The Mott lecture

Low temperature electronic transport in non-crystalline semiconductors
Fritzsche, H. 1

Section 2. Theory of structure

Ab-initio molecular-dynamics of liquid and amorphous semiconductors
Buda, F., G.L. Chiarotti, I. Štich, R. Car and M. Parrinello 7
Urbach edges and angular distortions in a-Si : H and related alloys
Bustarret, E. 13
Electronic structure of molten Si, Ge and GaAs
Jank, W. and J. Hafner 16

Section 3. Structure of chalcogenide glasses

Mechanical and vibrational properties of network structures
Thorpe, M.F. and Y. Cai 19
The formal valence shell model for structure of amorphous semiconductors
Liu, J.Z. and P.C. Taylor 25
Anisotropic amorphous semiconductors – uniaxial compression and squeezing
Tanaka, K. 31
Structure of phosphorus selenide glasses
Verrall, D.J. and S.R. Elliott 34
Effect of alloying with silver on intermediate-range order in bulk germanium diselenide glasses
Dejus, R.J., D.J. Le Poire, D.L. Price, S. Susman and K.J. Volin 37
Ag photodoping in chalcogenide glass As_2S_3
Arai, T., Y. Wakayama, H. Kudo, T. Kishimoto, J. Lee, T. Ogawa and S. Onari 40
An EXAFS study of compositional trends and photo-induced structural changes in amorphous As_xS_{1-x} thin films
Zhou, W., J.M. Lee, D.E. Sayers and M.A. Paesler 43
Intermediate range correlation in a-$Se_{1-x}Te_x$ and a-$(As_2S_3)_{1-x}Ag_x$ systems
Matsuishi, K., J. Kasamura, S. Onari and T. Arai 46
Thermal, mechanical and electrical relaxation phenomena in a-Se films
Kasap, S.O., B. Polischuk, V. Aiyah and S. Yannacopoulos 49

Photon intensity-dependent darkening kinetics in optical and structural anisotropy in a-As_2S_3: a study of X-ray absorption spectroscopy
Lee, J.M., G. Pfeiffer, M.A. Paesler, D.E. Sayers and A. Fontaine 52
Fast transformation mechanism of chalcogenide alloy glasses
Jung, A.-L., H. Situ, Y.W. Lu, Z.T. Wang and Z.G. He 55
^{63}Cu NMR studies of the local structural order in the Cu–As–S and Cu–As–Se systems
Saleh, Z.M., G.A. Williams and P.C. Taylor 58
Structural difference of two classes of amorphous semiconductors
Malinovsky, V.K., V.N. Novikov and A.P. Sokolov 61
Intercluster and intracluster interactions in $Ge_{1-x}Sn_xSe_2$
McNeil, L.E. and M.J. Peters 64
Local bonding configurations of amorphous Se_xTe_{1-x} films
Yang, C.Y., D.E. Sayers and M.A. Paesler 67
Molecular structure of As_2S_3 glass
Zitkovsky, I. and P. Boolchand 70
Intermediate range order in computer modeled a-As_2S_3
Brabec, C.J. 73
The role of the medium range order in photocrystallization of chalcogenide glasses
Pirogov, F.V. 76
The relation of photo and thermal components of photoinduced changes in amorphous semiconductors
Stradins, P., K. Shvarts and J. Teteris 79
The co-ordination environment of Ag in glassy $AgAsS_2$. A neutron diffraction study
Penfold, I.T. and P.S. Salmon 82

Section 4. Electronic properties of chalcogenides

Dependence of effective electron–electron correlation energies of defects on average coordination number in chalcogenide glasses
Hautala, J., S. Yamasaki and P.C. Taylor 85
Photoluminescence from optically induced metastable states in a-As_2S_3
Tada, T. and T. Ninomiya 88
Optically detected magnetic resonance of intrinsic luminescence in As_2Se_3
Ristein, J., P.C. Taylor, W.D. Ohlsen and G. Weiser 91
Impact ionization process in amorphous selenium
Tsuji, K., Y. Takasaki, T. Hirai and K. Taketoshi 94
Electronic structure of bismuth modified a-$Ge_{25}Se_{75-x}Bi_x$ films
Sotiropoulos, J. and W. Fuhs 97
Transient photocurrents in Bi-modified Ge_2Se_7
Adriaenssens, G.J. and P. Nagels 100
Drift mobility and photoconductivity for p- and n-type sputtered $Ge_{25}Se_{75-x}Bi_x$ films
Kounavis, P. and E. Mytilineou 103
Charge trapping studies in a-Se films via interrupted field TOF technique
Kasap, S.O., B. Polischuk, D. Dodds and S. Yannacopoulos 106
Optical constants of Ag-photodoped As–S amorphous films
Zakery, A., A. Zekak, P.J.S. Ewen, C.W. Slinger and A.E. Owen 109
Computer simulation study of tail-state distribution in amorphous selenium
Naito, H., T. Iwai, M. Okuda, T. Matsushita and A. Sugimura 112

Model of chalcogenide glassy semiconductors based on three-center bonds in a rigid covalent network
Dembovsky, S.A. 115
Charge carrier statistics of disordered semiconductors with negative-U defects and electrically active impurity atoms
Tsendin, K.D. 118
Carrier transport in amorphous chalcogenide multilayer structures
Imamura, S., Y. Kanemitsu, M. Saito and H. Sugimoto 121
Amorphous Se/Se–Te multilayers
Vateva, E. and I. Georgieva 124

Section 5. Photostructural changes in chalcogenides

Photostructural changes in bulk amorphous $Ge_{1-x}Sn_xSe_2$
Mikrut, J.M. and L.E. McNeil 127
Identification of IRO structures in photodarkening: a high pressure study of As_2S_3
Pfeiffer, G. and M.A. Paesler 130
Photodarkening and photoinduced anisotropy in chalcogenide vitreous semiconductor films
Lyubin, V.M. and V.K. Tikhomirov 133
Spectral intensity and time dependences of photoinduced optical absorption in glassy As_2S_3
Andriesh, A.M., I.P. Culiac and V.M. Loghin 136

Section 6. Growth of a-Si:H

In situ studies of the growth of hydrogenated amorphous silicon
Drevillon, B. 139
Chemical reactions for propagation of Si-network
Shimizu, I. 145
Control of silicon network structure in plasma deposition
Tsai, C.C., G.B. Anderson, R. Thompson and B. Wacker 151
Incorporation of polyhydride bonding groups into thin films of hydrogenated amorphous silicon (a-Si : H)
Lucovsky, G., B.N. Davidson, G.N. Parsons and C. Wang 154
Collective effects in the a-Si : H growth process
Aivazov, A.A., N.V. Bodyagin, S.P. Vikhrov and S.V. Petrov 157
Dielectric functions of thin interface layers in a-Si : H-based device structures by spectroscopic ellipsometry
Collins, R.W. 160
Infrared reflectance spectroscopy of very thin films of a-SiH
Maley, N., I. Szafranek, L. Mandrell, M. Katiyar, J.R. Abelson and J.A. Thorton 163
Charge carrier kinetics during growth of a-Si : H layers
Neitzert, H.C., A. Werner and M. Kunst 166
Solid-source doping of a-Si : H thin films deposited with a remote hydrogen plasma
Johnson, N.M., R.A. Street, J. Walker and K. Winer 169
Preparation of Si thin films by spontaneous chemical deposition
Hanna, J., A. Kamo, T. Komiya, I. Shimizu and H. Kokado 172
Preparation of highly photoconductive hydrogenated amorphous silicon carbide films with a multiplasma-zone apparatus
Asano, A., T. Ichimura and H. Sakai 175

Reduction of defects by high temperature annealing (150°C–240°C) in hydrogenated amorphous silicon films deposited at room temperature
Parsons, G.N., C. Wang, M.J. Williams and G. Lucovsky 178
Controlling hydrogen contents and bond configurations for high-quality and high-reliability a-Si films
Nishikuni, M., H. Haku, M. Isomira, S. Okamoto, K. Sayama, T. Takahama, T. Matsuoka, S. Tsuda, S. Nakano, M. Ohnishi and Y. Kuwano 181
Isotropic hydrogen exchange studies of the a-Si : H surface during growth
Abelson, J.R., L. Mandrell, J.R. Doyle, A. Myers and N. Maley 184
Deposition of a-Si : H by high temperature thermal decomposition of silane
Horbach, C., W. Beyer and H. Wagner 187
Substrate temperature dependence of the growth kinetics and opto-electronic properties of a-Si : H films deposited by RF glow discharge
Roca i Cabarrocas, P., J.Z. Liu, H.R. Park, A. Maruyama and S. Wagner 190
Effects of gas additives on the properties of a-Si : H films
Wang, C., G.N. Parsons and G. Lucovsky 193
Microstructures of hydrogenated amorphous carbon films prepared by RF plasma CVD
Shimizu, H., S. Nakao, H. Kusakabe and M. Noda 196
Phonon linewidth and bond angle deviation in amorphous silicon and germanium
Tsu, R., M.A. Paesler and D. Sayers 199
Computer-simulated model structures for hydrogenated amorphous semiconductors
Mousseau, N. and L.J. Lewis 202
Correlation of Raman spectra with optical and electronic properties of a-Si : H
Kudoyarova, V.Kh., O.I. Konkov, E.I. Terukov, A.P. Sokolov and A.P. Shebanin 205
Determination of hydrogen concentration depth profiles in a-Si : H by secondary neutral mass spectrometry (SNMS)
Sopka, J. and H. Oechsner 208

Section 7. Silicon structure and hydrogen bonding

NMR investigation of hydrogen in amorphous silicon and related materials
Boyce, J.B., S.E. Ready, M. Stutzmann and R.E. Norberg 211
Fermi energy dependence of surface desorption and diffusion of hydrogen in a-Si : H
Beyer, W., J. Herion and H. Wagner 217
Hydrogen diffusion and relaxation processes in a-Si : H and a-Ge : H
Shinar, R., S. Mitra, X.-L. Wu and J. Shinar 220
EXAFS determination of the local bonding configuration of P in a-Si : H
Boscherini, F., S. Mobilio, F. Evangalisti and A.M. Flank 223
The observation of microvoids in device quality hydrogenated amorphous silicon
Williamson, D.L., A.H. Mahan, B.P. Nelson and R.S. Crandall 226
X-ray absorption spectroscopy on amorphous silicon: a probe for the three-body correlation function
Filipponi, A., A. Di Cicco, M. Benfatto and C.R. Natoli 229
NMR and short range order in amorphous silicon
Shao, W.-L., J. Shinar, S. Mitra, B.C. Gerstein, F. Li, J. Fortner and J.S. Lannin 232
Molecular HD and D_2 in amorphous semiconductors
Santos-Filho, P., M.P. Volz, R.L. Corey, Y.W. Kim, P.A. Fedders, R.E. Norberg, W. Turner and W. Paul 235

Section 8. Electronic structure

Electronic structure of a-Si : H and its interfaces as determined by photoelectron spectroscopy
Ley, L. 238
A unified model for exponential band tails, optoelectronic properties and metastability in a-Si : H based on charged dangling bonds
Silver, M., G. Winborne, H. Branz, L. Pautmeier and H. Bassler 244
Energy distribution and thermal broadening of band tail states in doped and undoped hydrogenated amorphous silicon
Aljishi, S., J.D. Cohen and L. Ley 247
Evidence for energy dependent optical matrix elements in the electroabsorption spectra of amorphous semiconductors
Weiser, G. 250
A calculation of the density of electronic states for amorphous semiconductors
Beeby, J.L. and T.M. Hayes 253
Valence band density of states in amorphous silicon deduced from SPD orbitals
Grigorovici, R., P. Gartner and I. Corcotoi 256
Investigation of the gap state distribution in a-Si : H using post-transit pulse analysis
Barclay, R.P., M. Nesladek, T. Dyer and D. Kurnia 259
The nature of the band gap in amorphous semiconductors
Morgan, G.J., B.J. Hickey and J.N. Burr 262
New results on low level phosphorous doping in a-Si : H
Shen, D. and P.K. Bhat 265
Improvement in the boron-doping efficiency of hydrogenated amorphous silicon carbide films using BF_3
Asano, A. and H. Sakai 268
Boron doping and hydrogenation by ion implantation of a-Si : H
Galloni, R., Y.S. Tsuo, D.W. Baker and F. Zignani 271

Section 9. Optical properties and recombination

Universal behavior of the normalized photoconductivity at low temperatures in amorphous semiconductors
Johanson, R.E., H. Fritzsche and A. Vomvas 274
Luminescence above the Tauc gap in a-Si : H
Fauchet, P.M., I.H. Campbell, S.A. Lyon and R.J. Nemanich 277
Lifetime distribution of the photoluminescence of a-Si : H and a-$Si_{1-x}C_x$: H
Bort, M., R. Carius and W. Fuhs 280
Photoluminescence of a-$Si_{1-x}Au_x$: H films: nonradiative nature of Au centers
Yamaguchi, M., Y. Fujita and K. Morigaki 283
Photoluminescence studies of ion implantation damage in a-Si : H
Searle, T.M., W.A. Jackson and S. Kalbitzer 286
Picosecond studies of saturation of electron trapping on P_4^+ states in a-Si : H : P
Devlen, R.I., J.A. Moon, J. Tauc and Z. Vardeny 289
Transient photomodulation studies of phosphorus doped a-Si : H
Zhou, T.X., J. Tauc and Z.V. Vardeny 292
Temperature dependence of photo-induced absorption in several a-Si : H samples with different hydrogen content
Dauwen, J. and W. Grevendonk 295

Temperature dependence of the optical absorption edge in a-Si : H
Weiser, G. and H. Mell 298
Electrostriction, electroabsorption and electroreflectance in a-Si : H
Hadjeris, L., G. De Rosny and B. Equer 301
Model of laser induced regular and chaotic oscillations in amorphous $GeSe_2$ films
Hajto, J., I. Janossy, W.K. Choi and A.E. Owen 304
Field-dependent recombination in a-Si : H
Jahn, K., W. Fuhs and K. Pierz 307
Influence of the structure on the recombination process in a-C : H films
Reyes-Mena, A., R. Asomoza, J. Gonzalez-Hernandez and S.S. Chao 310
The influence of temperature on recombination of carriers in undoped a-Si : H
Kazanskii, A.G. and I.V. Klimashin 313
A critical investigation of a-Si : H photoconductivity generated by subgap absorption of light
Lee, S., S. Kumar, C.R. Wronski and N. Maley 316
Nature of triplet excitons in a-Si : H, its alloys and a-Si : H/a-Si_3,N_4 : H multilayers as elucidated by optically detected magnetic resonance measurements
Yoshida, M., M. Yamaguchi and K. Morigaki 319
Temperature dependent optical absorption measurements on a-Si : H, a-Ge : H, and a-SiGe : H by PDS
Lotter, E. and G.H. Bauer 322

Section 10. Electronic transport

Recombination and photoconductivity in amorphous semiconductors at low temperatures
Shklovskii, B.I., H. Fritzsche and S.D. Baranovskii 325
Mesoscopic effects in the conductivity of amorphous semiconductors
Kramer, B. and M. Schreiber 330
Monte Carlo simulation of low temperature band tail hopping mobility in a-Si : H
Schumacher, R. and P. Thomas 333
a-Si : H drift mobility – study of isotropy
Kočka, J., E. Šípek, O. Štika, H. Curtins and F. Juška 336
Band tail states in a-Si : H – influence of preparation conditions and techniques for characterisation
Marshall, J.M., C. Pickup, A. Browne, J. McNeil, C. Hotham, C. Main and J. Berkin 339
Transport in Si and Ge polymers above and below T_g – comparison with a-Se and other glasses
Abkowitz, M. and M. Stolka 342
Electronic transport in organic amorphous polysilanes
Shimakawa, K., T. Okada and O. Imagawa 345
The influence of long range potential fluctuations on frequency dependent transport in a-Si : H
Long, A.R. 348
Simulation of the effects of capture rates and band mobility on transient currents in a-Si : H pin devices
Shapiro, F.R. and M. Silver 351
Study of a-Si : H drift mobility in subnanosecond time scale
Juška, G., G. Jukonis and J. Kočka 354
The prefactor of DC conductivity for amorphous silicon determined by combined contact potential difference and conductivity measurements
Siebke, F., W. Beyer, J. Herion and H. Wagner 357
The preexponential factor of the electrical conductivity of undoped amorphous silicon
Meaudre, R., P. Jensen, M. Meaudre and C. Godet 360

The steady state hole mobility lifetime product in undoped a-Si : H
Liu, J.Z., A. Maruyama, S. Wagner and A. Delahoy 363
Field-stimulated carrier diffusion in amorphous semiconductors
Arkhipov, V.I., C.R Nikitenko and A.I. Rudenko 366
Normal Hall coefficient of LPCVD amorphous silicon
Du, N., Y.T. Zhu, B.Y. Tong, P.K. John, S.K. Wong and K.P. Chik 369
A physical interpretation of the Hall effect in amorphous semiconductors
Kakalios, J. 372
The thermopower of non-localized electrons in amorphous semiconductors
Aldea, A. 375
Experimental and theoretical evidence of space-charge photomodulation in metal/insulator/amorphous semiconductor structures
Fortunato, G., L. Mariucci, C. Reita and V. Parisi 378

Author index Parts I and II xxiii
Subject index Parts I and II xxxvii

PART II

Contents Parts I and II v

Section 11. Localized states and defects

Capacitance studies of deep defects in hydrogenated amorphous silicon
Cohen, J.D. 381
Defects and recombination in a-$Si_{1-x}Ge_x$: H
Fuhs, W. and F. Finger 387
Environmental effects on dangling and floating bonds in amorphous Si
Fedders, P.A. and A.E. Carlsson 393
Estimates of the diffusion rate of the dominant paramagnetic defect in hydrogenated amorphous silicon
Jackson, W., C.C. Tsai and R. Thompson 396
Conduction properties of thin $N^+/I/N^+$ a-Si : H structures
Labdi, A., G. de Rosny and B. Equer 399
Characteristic lengths for transport in illuminated intrinsic a-Si : H
Shah, A.V., E. Sauvain and J. Hubin 402
Light scattering effects in CPM and PDS measurement on a-Si : H films
Favre, M., H. Curtins and M. Vanecek 405
Optically detected electron nuclear double resonance in a-Si : H
Kondo, M. and K. Morigaki 408
Effect of electron bombardment and annealing on the hyperfine structure in a-Si : H (P)
Schütte, S., F. Finger and W. Fuhs 411
Metal impurities in a-Si : H and other amorphous semiconductors
Stutzmann, M. 414
Material parameters in thick hydrogenated amorphous silicon radiation detectors
Quereshi, S., V. Perez-Mendez, S.N. Kaplan, I. Fujieda, G. Cho and R.A. Street 417
Electron mobility-lifetime product and D° defect density in hydrogenated amorphous silicon
Hotaling, S.P., H. Antoniadis and E.A. Schiff 420

The electron spin resonance lineshape in hydrogenated amorphous silicon germanium alloys
Lee, J.-K. and E.A. Schiff 423
Electron-nuclear double resonance of dangling-bond centres in a-$Si_{1-x}N_x$: H and a-$Si_{1-x}N_x$
Yokomichi, H., M. Kondo and K. Morigaki 426
Computer simulation of effects of hydrogen on the dangling bonds in hydrogenated amorphous silicon
Yu, G., G. Chen and F. Zhang 429
A new treatment of Schottky barrier capacitance–voltage characteristics: discussion of usual assumptions and determination of the deep gap states density in a-$Si_{1-x}Ge_x$: H alloys
Kleider, J.P., D. Mencaraglia and Z. Djebbour 432
The nature of the midgap defect transition in intrinsic a-Si : H as deduced by depletion width modulation electron spin resonance
Essick, J.M. and J.D. Cohen 435
Optical absorption spectra in a-Si : H measured by PDS and CPM in situ
Xiao, Y. and D. Han 438
Non-radiative recombination at dangling bonds in a-Si : H
Halpern, V. 441
Defect spectroscopy in a-Si : H using infrared excited luminescence and electron spin resonance
Ristein, J., J. Hautala and P.C. Taylor 444
On mobility–lifetime problem and on quantum efficiency of photogeneration in amorphous silicon
Vaněček, M., J. Kočka, E. Šípek and A. Tříska 447
Photoconductivity of hydrogenated amorphous silicon
Abelson, J. 450

Section 12. Amorphous silicon alloys

The optoelectronic properties of a-Si,Ge : H(F) alloys
Wagner, S., V. Chu, J.P. Conde and J.Z. Liu 453
Annealing study of the infrared absorption in an amorphous silicon dioxide film
Yin, Z., D.V. Tsu, G. Lucovsky and F.W. Smith 459
Defect density and structure of hydrogenated amorphous silicon–sulfur alloys
Aljishi, S., M. Stutzmann, S. Jin, C. Herrero, S. Al-Dallal, M. Hammam and S.M. Al-Alawi 462
Free-carrier behaviour in a-$Si_{1-y}Ni_y$: H
Davis, E.A., S.C. Bayliss, R. Asal and M. Manssor 465
Annealing temperature dependence of conductivity in a-CSiGe : H alloys deposited at different substrate temperatures
Demichelis, F. and A. Tagliaferro 468
Studies of the density of states at the band edges and in the pseudo-gap in a-SiGe : H alloys by combined photothermal deflection spectroscopy and X-ray spectroscopy
Chahed, L., A. Gheorghiu, M.L. Theye, I. Ardelean, C. Senemaud and C. Godet 471
Chemical and structural analysis of a-SiGe : H by SIMS and XPS investigations
Eicke, A., G. Bilger and G.H. Bauer 474
Influence of plasma deposition on structural and electronic properties of a-Ge : H
Karg, F.H., H. Böhm and K. Pierz 477
Structure, defect and transport properties of highly photoconductive a-SiGe : H and a-SiC : H alloys
Smith, Z.E., A. Matsuda, H. Matsuura, H. Oheda, M. Tanaka and S. Yokoyama 480
Local bonding of Si in $Si_{1-x}C_x$ alloys studied by X-ray emission
Wiech, G., W. Zahorowsky and G. Weiser 483

Transport in μc-$Si_x:C_y:O_z:H$ films prepared by a TCDDC system
Martins, R., G. Willeke, E. Fortunato, I. Ferreira, M. Vieira, M. Santos, A. Maçarico and L. Guimarães 486

Microstructure of nitrogen-rich a-$Si_xN_yH_z$ films
Yin, Z. and F.W. Smith 489

Si K-emission bands of nitrogen rich a-$SiN_x:H$
Wiech, G., W. Zahorowski, A. Šimůnek, H. Mell and G. Weiser 492

Electronic structure of a-Si_3N_4: ab initio cluster calculations and soft X-ray emission spectroscopy study
Domashevskaya, E.P., Yu.K. Timoshenko, V.A. Terekhov, E.N. Desyatirikova, E.Yu. Bulycheva and V.N. Seleznev 495

Alloying effects on the electronic structure of a-$Si_{1-x}N_x:H$ films prepared by a mercury-photosensitized decomposition method
Driss Khodja, M., A. Le Corre, C. Senemaud, A. Gheorghiu, M.L. Theye, B. Allain and J. Perrin 498

SiH stretching vibration in silicon suboxides: local and remote induction effects
Tsu, D.V. and G. Lucovsky 501

The effect of hydrogenation on the optical bandgaps of a-$SiO_x:H_y$ thin films
Singh, A., E.A. Davis and S.C. Bayliss 504

Photoluminescence of amorphous hydrogenated silicon–carbon (a-SiC:H) films
Vassilyev, V.A., A.S. Volkov, E. Musabekov, E.I. Terukov, S.V. Chernyshov and Yu. M. Shernyakov 507

Stress in a-$Si_{1-x}C_x:H$ studied by (n,-n) double crystal diffractometry
Zhang, Z., M. Qi, J. Chen and R. Cheng 510

A complete bonding and banding study of amorphous α-SiC and α-SiC:H alloys
Zdetsis, A.D. 513

Comparative study of the incorporation scheme of H in a-Si:H alloyed with C, N and O
Kumeda, M., S. Nakanishi and T. Shimizu 516

Vibrational excitations in a-$Si_{1-x}C_x:H$ alloys
Agrawal, B.K., P.S. Yadav and B.K. Ghosh 519

Photoluminescence and optically detected magnetic resonance of a-$Si_{1-x}C_x:H$ films
Liedtke, S., K. Lips, M. Bort, K. Jahn and W. Fuhs 522

Section 13. Amorphous Ge and Si–Ge alloys

The effect of sample substrate on the structural properties of co-deposited a-Ge:H films
Jones, S.J., W.A. Turner and W. Paul 525

Structural properties of a-$Si_{1-x}Ge_x:H$
Schubert, M.B., H.C. Weller, K. Eberhardt and G.H. Bauer 528

Structural and electronic properties of doped a-$Si_{1-x}Ge_x:H$ alloys grown with H-dilution
Wind, J., G. Krötz, V. Petrova-Koch, G. Müller and P.P. Deimel 531

Evolution of the density of states profile above midgap in a-SiGe:H alloys from complementary transport measurements
Godet, C., A. Labdi, J.-P. Kleider, D. Mencaraglia and Z. Djebbour 534

Correlation between the structural and the electronic transport properties of sputtered hydrogenated amorphous germanium films
Martin, D., B. Schroeder, M. Leidner and H. Oechsner 537

Influence of the incorporation of germanium on the tail states in amorphous alloys semiconductors
Vanderhaghen, R. and C. Longeaud 540

Raman scattering in a-$Ge_{1-x}Si_x:H$ alloys
Li, F. and J.S. Lannin 543

Deuteron magnetic resonance in amorphous germanium
Volz, M.P., P.A. Fedders and R.E. Norberg 546
Influence of the defect concentration on the recombination in electron bombarded a-Si : Ge : H alloys studied by photoluminescence and electron spin resonance
Carius, R. and F. Finger 549
Device quality a-SiGe : H films for multijunction solar cells
Das, D., S.C. De, S. Ray, A.K. Batabyal and A.K. Barua 552
Internal photoemission measurements on a-$Si_{1-x}Ge_x$: H/c-Si heterojunctions
Lequeux, N. and M. Cuniot 555
The structure of defects in amorphous germanium tin-alloys
Chambouleyron, I., F.C. Marques, I.J.R. Baumvol and R.A. Barrio 558
Infrared analysis of a-$Ge_{1-x}N_x$: H
Marques, F.C., I. Chambouleyron and F. Evangelisti 561

Section 14. Picosecond spectroscopy

Extended state mobility in a-Si : H measured by femtosecond spectroscopy
Fauchet, P.M., A. Mourchid, D. Hulin, C. Tanguy and R. Vanderhaghen 564
Temperature and electric field dependence of the picosecond electron drift velocity in a-Si : H
Devlen, R.I., J. Tauc and E.A. Schiff 567
Carrier relaxation in a-$Si_{1-x}C_x$: H studied by picoseond photoluminescence spectroscopy
Fischer, R. and E.O. Gobel 570
Ultrafast recombination and trapping in amorphous silicon
Esser, A., K. Seibert, H. Kurz, G.N. Parsons, C. Wang, B.N. Davidson, G. Lucovsky and R.J. Nemanich 573
Picosecond photoluminescence of a-Si : H/a-SiN_x : H multilayers with different nitrogen content
Guang, H.X., W.H. Zhou, Y.Z. Xin, J. Bo and P. Shaoqi 576
Free carrier absorption and the transient optical properties of amorphous silicon thin films: a model including time dependent free carrier, and static and dispersive interband contributions to the complex dielectric constant
Davidson, B.N., G. Lucovsky, G.N. Parsons, R.J. Nemanich, A. Esser, K. Seibert and H. Kurz . 579
Femtosecond optical spectroscopy in a-Si : H and its alloys
Mourchid, A., R. Vanderhaghen, D. Hulin, C. Tanguy and P.M. Fauchet 582
Photomodulation spectroscopy of defects in hydrogenated amorphous silicon germanium alloys
Chen, L., J. Tauc, J.-K. Lee and E.A. Schiff 585
Picosecond and CW photomodulation spectroscopy of polysilane alloys
Han, S., B. Hess, X. Wei, Z. Vardeny and S. Nitta 588

Section 15. Metastability of a-Si:H

Kinetics of metastable states in hydrogenated amorphous silicon
Jackson, W. 591
Defect relaxation in hydrogenated amorphous silicon
Crandall, R.S. 597
Deep valence-band trap defect conversion by light soaking of a-Si : H
Nebel, C.E. and G.H. Bauer 600
The carbon impurity dependence of light induced metastable effects in hydrogenated amorphous silicon
Unold, T. and J.D. Cohen 603

Excess optical absorption in a-Si : H after illumination with bandgap light
Wu, L., D. Han and J.I. Pankove 606
Optically and thermally induced reversible changes of midgap states in undoped a-Si : H
Matsuura, H. 609
Light-induced effects in hydrogenated amorphous nitrogen-rich silicon nitride films
Kanicki, J., D. Jousse, A. Gelatos and M.S. Crowder 612
Safe hole trap conversion properties and microscopic models
McMahon, T.J. and R.S. Crandall 615
Temperature-dependent defect density measurements in hydrogenated amorphous silicon
Zafar, S. and E.A. Schiff 618
Defect kinetics in a-Si : H – an alternative description
Redfield, D. and R.H. Bube 621
The relationship between hydrogen content, weak bond density and Staebler–Wronski defects in amorphous silicon
Fortmann, C.M., T.X. Zhou and W.A. Buchanan 624
Light-induced changes in the deep states of undoped a-Si : H
Tsutsumi, Y., K. Uchiyama, H. Okamoto and Y. Hamakawa 627
Photo-created defects in a-Si : H as elucidated by ESR, LESR and CPM
Shimizu, T., H. Kidoh, M. Matsumoto, A. Morimoto and M. Kumeda 630
Saturation effect and annealing behaviour of metastable defects induced by keV-electron irradiation in intrinsic a-Si : H
Schneider, U., B. Schröder and F. Finger 633
Light-induced conductivity changes in phosphorus-doped hydrogenated amorphous silicon
Yoon, J.-W., M.-S. Kim and C. Lee 636
Charged dangling bonds: key to electronic transport, recombination and metastability in hydrogenated amorphous silicon
Branz, H.M. and M. Silver 639

Section 16. Thermal equilibrium

Evidence for the defect pool concept for Si dangling bond states in a-Si : H from experiments with thin film transistors
Powell, M.J., I.D. French and J.R. Hughes 642
The influence of growth conditions on the equilibrium states in a-Si : H
Street, R.A. and K. Winer 645
Thermal equilibration in hydrogenated amorphous silicon-based films
Shimizu, T., X. Xu, H. Sasaki, A. Morimoto and M. Kumeda 648
Correlation between defect density and Fermi-level position in a-Si : H
Pierz, K., W. Fuhs and H. Mell 651
Arsenic incorporation in a-Si : H
Winer, K. and R.A. Street 654
In situ electron spin resonance measurements of thermally induced metastable defects in doped hydrogenated amorphous silicon carbon films
He, D., F. Zhang, W. Chen and G. Chen 657
Defect structure and stability of a-Si : H by modulated photocurrent studies
Schumm, G. and G.H. Bauer 660
Field-effect-induced metastable conductivity changes in n-type a-Si : H
Krötz, G., J. Wind and G. Müller 663

Thermal equilibrium process in hydrogenated amorphous silicon npnp doping-modulated superlattices
Song, Y.-H., B.-S. Yoo, C. Lee and J. Jang 666
Thermally- and light-induced metastable states in p-doped a-Si : H
Okushi, H., R. Banerjee, T. Furui and K. Tanaka 669

Section 17. Surfaces and interfaces

High resolution electron energy loss study on the surface of a-$Si_{1-x}Ge_x$: H
Sasaki, H., M. Deguchi, K. Sate and M. Aiga 672
Raman scattering and surface disorder in amorphous germanium
Fortner, J., R.Q. Yu and J.S. Lannin 675
Oxide growth on a-Si : H and its influence on surface gap states
Berner, H., G. Kragler, J. Meier, M. Simon, H. Curtins and E. Bucher 678
A computer-generated model of the crystalline/amorphous interface in silicon
Wooten, F. and D. Weaire 681
Study of artificial interfaces in undoped and phosphorus doped a-Si : H
Deng, X.-M., H. Fritzsche and R. Johanson 684

Section 18. Multilayers

Optical approach to subband structure in a-Si quantum well
Hattori, K., H. Okamoto and Y. Hamakawa 687
Breaking the isotropy of amorphous silicon–germanium alloys: graded-bandgap and sawtooth superlattice structures
Conde, J.P., V. Chu and S. Wagner 693
Random telegraphic noise in large area a-Si : H/a-$Si_{1-x}N_x$: H double barrier structures
Arce, R., L. Ley and M. Hundhausen 696
Investigation of the plasma deposited silicon dioxide on hydrogenated amorphous silicon interface by capacitance measurements
Gelatos, A., P. Wagner and J. Kanicki 699
Interface defect density in a-Si : H/a-SiN_x : H multilayers
Wang, S. and R. Cheng 702
Optical properties of band-edge modulated a-$Si_{1-x}N_x$: H films
Yamaguchi, M., C. Ogihara, H. Ohta and K. Morigaki 705
Phase coherence and damping in amorphous quantum wells
Tsu, R. 708
Time-of-flight measurement of longitudinal electron transport in amorphous semiconductor multilayers
Hattori, R., T. Enomoto and J. Shirafuji 711
The origin of persistent photoconductivity in amorphous silicon
Kakalios, J. 714
The origin of persistent photoconductance in doping-modulated and compensated a-Si : H
Hamed, A. and H. Fritzsche 717
Thermally stimulated conductivity in a-Si : H doping superlattices
Hundhausen, M. 720
Optical properties of amorphous multilayers a-Si : H/a-Si_3N_4 : H with random well or barrier layer thickness
Itoh, T., S. Nitta and S. Nonomura 723
Growth process and structural disorder of reactively-sputtered a-Si : H/a-SiN_x multilayer films
Honma, I., H. Komiyama and K. Tanaka 726

Electronic states and structures of quasi-one-dimensional a-Si : H
Nonomura, S., S. Hattori, H. Hayashi, T. Itoh and S. Nitta 729
Photoconductivity and interface defects in a-SiH/a-$Si_{1-x}C_x$: H multi-quantum-well structures
Fiorini, P., M. Deseta and F. Evangelisti 732
Measurement of the energy band discontinuities in a-SiC p-i-n junctions by internal photoemission
Wei, G.-P., D. Kruangam, T. Endo, H. Okamoto and Y. Hamakawa 735
Investigation into influence of nitrogen content on the interface disorder and optical properties multilayers of a-SiH/a-SiN_x : H
Liu, H., Z. Zhao, X. Feng, Z. Wang and W. Tang 738
Annealing dependence of PDS of a-Si : H/a-SiN_x : H multilayers
Wang, S., H. Fritzsche and R. Cheng 741
In-situ determination of surface states in undoped and doped a-Si : H
Siefert, J.-M. 744
Structure of interfaces in a-Si : H/a-Si_3N_4 : H multilayers produced by plasma CVD
Nakayama, Y., T. Takahashi, K. Watanabe and T. Kawamura 747
Surface states and in-depth inhomogeneity in a-Si : H thin films: effects on the shape of the PDS sub-gap spectra
Grillo, G. and L. De Angelis 750
Bond angle distortions and hydrogenation at the Si/a-SiN : H interface
Bustarret, E. 753
Structural characterization of amorphous semiconductor heterojunctions by in situ XPS
Kawasaki, M., M. Nakano, Y. Matsuzaki and H. Koinuma 756
Nature of AX center in amorphous silicon/nitride multilayers
Chen, K., G. Mao, Z. Li, H. Chen, Z. Ge and H. Fritzsche 759
Negative resistance in a-SiC_x : H double barrier devices – frequency dependence
Carreño, M.N.P., I. Pereyra, A. Komazawa and A.T. Arasaki 762
Phonons in a-Si : H-based amorphous superlattices
Santos, P.V. and H.J. Trodahl 765
Stability of tetrahedrally-bonded amorphous semiconductor multilayers
Persans, P.D., A.F. Ruppert, Y.-J. Wu, B. Abeles, W. Lanford and V. Pantojas 771
Stuctural characterization of amorphous silicon multilayer interfaces
Miyazaki, S., Y. Kohda, Y. Hazama and M. Hirose 774
a-Si_3N_4 : H/a-Si : H superlattices produced by plasma enhanced nitridation of a-Si : H-
Hazama, Y., K. Yamada, S. Miyazaki and M. Hirose 777
New results in quasiperiodic amorphous semiconductor superlattices
Chen, K., G. Mao, S. Jiang, H. Xia, D. Feng and H. Fritzsche 780

Section 19. III–V compounds and other materials

Properties of a-boron films prepared by low pressure chemical vapour deposition
Ong, C.W., K.P. Chik and H.K. Wong 783
Multiphonon hopping of π electrons in amorphous carbons
Shimakawa, K. and T. Kameyama 786
Vibrational, electrical and optical properties of hydrogenated amorphous silicon–sulfur alloy
Al-Dallal, S., M. Hammam and S. Al-Alawi 789
Time-of-flight measurement of hydrogenated amorphous GaP
Onuki, M., T. Fujii and H. Kubota 792
Raman-scattering studies of implantation-amorphized gallium arsenide: comparison to sputtered and evaporated a-GaAs films
Zallen, R., M. Holtz, A.E. Geissberger, R.A. Sadler, W. Paul and M.-L. Thèye 795

Section 20. Hydrogen effects, microcrystallinity and liquids

Hydrogen dilution effects on properties of ECR plasma deposited a-Ge : H
Aoki, T., S. Kato, Y. Nishikawa and M. Hirose 798

Temperature dependence of H radical etching in the deposition of microcrystalline silicon alloy thin films by Hg-sensitized photo-CVD
Saxena, N., D.E. Albright, C.M. Fortmann, T.W.F. Russell, P.M. Fauchet and I.H. Campbell . . 801

Atomic hydrogen improves the rigidity of Si-network and tail states at the valence band in a-Si : H and a-Si : H(F) films
Hanna, J., H. Azuma, H. Shirai, M. Azuma and I. Shimizu 804

Improvement of a-SiC : H alloys by hydrogen dilution of starting gases
Camargo, Jr., S.S. and W. Beyer 807

Growth of amorphous, microcrystalline and epitaxial silicon at the same substrate temperature under control of atomic hydrogen
Shirai, H., H. Tanabe, T. Uematsu, J. Hanna and I. Shimizu 810

Raman scattering from microcrystalline Si films: considerations of composite structures with different optical absorption properties
Nemanich, R.J., E.C. Buehler, Y.M. Legrice, R.E. Shroder, G.N. Parsons, C. Wang, G. Lucovsky and J.B. Boyce 813

Mechanism of microcrystalline silicon growth from silicon tetrafluoride and hydrogen
Okada, Y., J. Chen, I.H. Campbell, P.M. Fauchet and S. Wagner 816

Lattice orientation of microcrystallites in μc-Si : H
Toyoshima, Y., K. Arai and A. Matsuda 819

PECVD of microcrystalline silicon carbon alloy thin films
Ganguly, G., S.C. De, S. Ray and A.K. Barua 822

Microcrystallinity and silyl rotors in a-Si:D,H films
Bodart, J., P. Santos-Filho and R.E. Norberg 825

Knight shifts and bonding in liquid semiconductors
Ott, K., M. Dürrwächter, M.A. Haghani, M. v. Hartrott, B. Sauer and D. Quitmann 828

Author index 831

Subject index 845